




RECO
SURFACES



brought to you by:

Decotone Surfaces



Bevel Metro Tile
(offset) White

Contents

Tiling Reinvented

1-5
About

12-15
Panels

6-7
Benefits

16-17
Fitting

9-11
Applications

18-37
Ranges

Reco Tile by Decotone



Decotone Surfaces partnered with Reco Surfaces Ltd to provide modern interior wall coverings.

Over the last 20 years they have created a unique range of patented wall panels that overcome the traditional problems associated with tiles, and laminate wood backed panels.

Tiles and laminate panel products are expensive, time consuming and difficult to fit. Tile grout goes moldy can crack and leak. Laminate panels often have weak profile joins that ruin the finish and can cause the wood behind the panel to expand when they leak. Overall, neither solution is eco-friendly...

We have created a range of wall panels which are changing the way people fit wall coverings. They are cost effective (40 – 70% cheaper than tiling), quick and easy to fit (85% quicker to fit than tiles) and provide a precise uniform finish.

We have international Patents for both our manufacturing and fitting processes.

Our panels can be used anywhere you would fit tiles, or where a wall needs protecting or enhancing.

The Reco Tile by Decotone Range is comprised of:

- Tile (tiled panels)
- Design (flat panels with a gloss or satin finish)
- Gloss & Glass (flat gloss panels)


All panels are:

- 100% Waterproof
- 100% Recyclable
- Guaranteed for 10 Years



Top: White Croc
Bar Front: Umbria Marble

Benefits



Cost Benefits

- 40 - 70% cheaper than tiling
- Materials are much cheaper than tiling – just 3 are needed: adhesive, silicone and joining tape
- Anyone with basic DIY skills can fit them - no need for the 'skilled labor' cost of a tiler
- Panels are 100% waterproof so there is no need for waterproof matting or tile backing boards
- Less wastage than tiling - no chips or cracks either in fitting or for the lifespan of the panel

Time Savings

- 85% quicker than tiling – easy to fit
- 2 men: up to 3-4 bathrooms per day (based on new build - 18m2 bathrooms)
- Light and easy to fit in tight spaces – easy to carry up narrow stairs.
- No need for plastering, decorating, or tile backing boards just go straight onto the plasterboard or over tiles
- Other trades can start sooner. Rooms can be worked on as soon as panels have been fitted. Shortens project length significantly
- No wet trades. No plastering, No grouting or long drying time
- Panels can be fitted over existing tiles. No strip out time, noise or mess.
- No kitchen template needed
- Easy to drill pipework access holes or electric sockets
- No specialist tools needed
- Project and Program length massively shortened.

Design

- We can create any design, color or image on either flat or tiled panels - allowing designers to maximize potential and allowing customers a genuine bespoke option.
- Tile matching - we can match any existing tile sizes or design for large orders.

Lifespan

- 100% Waterproof
- No grout = no mold
- Seamless joints - no profiles / strips
- Easy maintenance - just wash with mild detergent
- Panels can be heat molded round corners for a hygienic finish.
- No chipping or cracking – less waste than tiles
- Easy to repair or replace – when removed the rear wall is not damaged
- 10-year guarantee

Eco-friendly

- 20% more thermally efficient than tiles - lower heating bills, less condensation
- 100% Recyclable



Crema Marble

Applications



Our panels have been used anywhere you would fit tiles, or where a wall needs protecting or enhancing.

Residential - bathrooms, showers, toilets, kitchen splash-back headboards, living room walls. For new build and refurbishments.

Student Accommodation - showers, kitchens, headboards, reception area walls, corridors and high wear areas.

Hotels - bathrooms, showers, kitchen splash-back, toilets, headboards, reception areas, corridors and high-traffic areas.

Restaurants - kitchen walls, toilets, restaurant wall protection, counter fronts.

Commercial - Supermarket toilets, café's, bulkheads, counters, display boards.

Hospital - bathrooms, waiting rooms, kitchens, showers.

Schools - swimming pools, kitchens, showers, changing rooms, bathrooms, toilets, reception, meeting rooms, gyms, outdoor meeting areas.

Gyms - showers, toilets, changing rooms, image protected walls,

Camps - glamping pods, lodges, mobile homes, shower blocks, restaurants, kitchens.

Caravans - kitchens, toilets, walls.

Retirement Homes - Communal areas, bathrooms, showers, hair salons, kitchens, corridors.

Modular Construction - Bathrooms, kitchens

Our panels are perfect for modular construction. There is no need for extra waterproofing behind the panel. There is no need for wet trades reducing factory time. Plus the panels will flex and move with the building in transit.

Panel Types & Uses



Reco Tile by Decotone wall panels are a patented, high performance, fast fit and maintenance-free wall covering system. It is the leading alternative to tiles or laminate faced wooden panels.

- Our panels are designed to be applied directly to any reasonably level wall surface including brick, block, plaster, boarding or even over existing tiles (see opposite).
- The panels are between 1 and 4mm thick so they maximize your room space, are easy to cut and fit.
- Our panels can be joined like a jigsaw ideally at any molded grout line, reducing waste and cost.
- They are easy to clean as there is no grout for the dirt to get trapped in.
- All our products are 100% recyclable.
- Our panels are made from PVC or Acrylic capped ABS or Polycarbonate.
- They are available in either molded tile or flat panel, with a gloss or satin finish.
- Panel sizes are 2440 x1220mm for trade customers.
- By using our unique fitting system, the panels provide a seamless finish, which is 100% waterproof.

*Some unlevel walls may require a flat backing strip at the point of join

	Existing Tiles	Breeze Block (semi-level)*	Breeze Block (level)*	Stud-work*	Brickwork*	Plasterboard	Plaster	Paintwork	Plywood	MDF	Concrete (level)*
Tile											
Molded Tile Panel 2440 x 1220 x 3mm	•	•	•		•	•	•	•	•	•	•
Design											
Printed Wall Panel 2440 x 1220 x 2mm	•	•	•		•	•	•	•	•	•	•
Gloss / Glass											
Plain Color Wall Panel 2440 x 1220 x 2mm 2440 x 1220 x 4mm	•		•		•	•	•	•	•	•	
Protect											
High Wear Wall Covering 2440 x 1220 x 1mm	•					•	•	•	•	•	•



Mosaic Tile, White

Carrera Marble

Why choose Reco Tile by Decotone?



Reco vs. Tiles

We all know the problems with tiles:

- They are difficult to fit
- They can crack & go moldy
- They are not eco-friendly
- They can be expensive
- They are expensive to fit

Our panels are:

- Easy to install (no wet trades needed)
- No cracking (move with the building)
- No grout = No mold or trapped dirt
- Designed for a lifetime of recycling
- 40-70%+ More cost effective than tiles

Other Benefits

The panels also solve a number of other issues:

- Easy to fit DOC-M packs
- Simple access panel solutions
- Heat molding for hygienic corners
- No need for templates splash-backs
- Easy to drill holes for pipework or sockets
- Perfect for bath panels / sink back-splash
- If necessary simple and fast replacement

Why are we the solution?

Our panels have been developed to deliver:

- Minimal wall preparation (no strip out)
- Minimal materials (just 3 products)
- No specialist fitting equipment or tools
- Easy installation even in tight spaces
- Seamless joins – no T&G or profiles
- Less waste – cut and join like a jigsaw
- Tough, hygienic, easy clean finish
- No grout – Low maintenance

The panels deliver the perfect finish and durability for all sectors of the market.

Whatever the size of your project or budget, Reco has a panel to suit you:

- Reduced material costs
- Fast fit – 1/4 of the labour cost
- Reduced property downtime
- Fast clean – long life solution
- 10 year Manufacturers Guarantee
- If necessary, simple and fast replacement

Installation Guide



All of our panels can be fitted using the method illustrated. Using a combination of the recommended adhesive and sealant plus our patented Seal Tape which acts as a backing seal to the joints between panels and holds them in place while the adhesive cures.

Reco Tile by Decotone has specially designed edges that remove the need for capping profiles or tile trims. The rounded edge of each tile conceals the joints as grout lines.

Reco Tile by Decotone can be butted up for a joint that looks almost seamless.


It can be cut using a sharp Stanley type knife and designed with a fine-toothed handsaw, track saw or Jigsaw.

Full instructions for all our panels can be downloaded from the website:


www.decotonesurfaces.com



1. Recommended installation products



2. Check floor and walls are level & fit backing strip in corner




3. Set out panels and mark joint points on wall




7. Fold top and bottom of tape over to reveal joint point then position panel



8. Once panel is in place remove the tape from behind the panel



9. Apply small bead of sealant to panel edge.




4. Apply Reco-Tape 50/50 to joint area



5. Trim panel using a knife or saw




6. Apply adhesive to panel



10. Slide second panel up to first allowing 3mm gap between them



11. Wipe off excess sealant along the joint.



12. Seal top and bottom joints.



Products

Reco Tile by Decotone



Our panels are made from 100% recyclable PVC, or Acrylic capped ABS, which are molded in our Patented manufacturing process, and can be seamlessly fitted to any wall using our simple fitting system. They come in a range of tile shapes, colors, grout lines and patterns.

All panels are 1220 x 2440 x 3mm.

Guarantee

10

Products are guaranteed for 10 years when installed and maintained in accordance with manufacturers instructions.

Patents awarded and pending.



Bevel Metro
Grey

Reco Tile by Decotone



Features and benefits

- The world's first and only moulded Acrylic or PVC tile panels
- No grout means they are easy to clean
- Install over existing tiles or any level surface
- Virtually maintenance-free!
- Fit in 1/4 of the days it would take to install tiles
- 20% more thermally efficient than tiling
- Seamless joints with no profiles or joining strips
- 100% recyclable (reducing landfill)
- 10 year manufacturers guarantee
- 100% waterproof

Performance

	Weight 4.46kg (1.97kg per m ²)		Flame Resistance Acrylic Class 3, PVC Class 1
	Finish High Gloss & Satin		Cutting Stanley Knife or Jigsaw
	Scratch Resistance Hard Coat		Water Resistance 100% Waterproof
	Chemical Resistance Excellent		Cleaning Mold Resistant / Easy
UV	UV Resistance Anti UV Additive		100% Recyclable

Applications

- Bathrooms
- Medical
- Kitchens
- Protection
- Washrooms
- Wet Room
- Hygiene
- Bespoke

Tile Shapes



Mosaic
25 x 25mm



100 Tile
100 x 100mm



150 Tile
150 x 150mm



Large
226 x 310 or 600 x 300mm



Bevel Metro (offset)
75 x 150mm



Flat Metro (offset)
150 x 75mm



Hexagon
150 x 150mm

Panel Dimensions




1220 x 2440 x 3mm



780 x 2450 x 3mm

Metro also available in landscape

Designs



For latest designs

See website




Digital Gym



Umbria Marble

Design



Reco Tile by Decotone panels are a range of beautifully designed flat wall panels. They can be used in any location to add a real design aesthetic and provide a genuine alternative to tiles. They come in both a gloss and a scratch-proof satin finish. They are made from either 100% recyclable PVC or Acrylic capped ABS.

The panels are 1220 x 2440 x 2mm.

We also produce as a 1mm thick panel. This is ideal for difficult to fit areas and large high-traffic areas.

Guarantee


10

Products are guaranteed for 10 years when installed and maintained in accordance with manufacturers instructions.

Patents awarded and pending.












Design



Features and benefits

- Non-Scratch PVC wall panels
- Impact & graffiti resistant
- Install over existing tiles or any level surface
- Fit in 1/4 of the days it would take to install tiles
- Wallpaper type joints with no profiles or joining strips
- 100% waterproof
- No grout means they are easy to clean
- Virtually maintenance-free!
- 20% more thermally efficient than tiling
- 100% recyclable (reducing landfill)
- 10 year manufacturers guarantee

Performance

 Weight 4.5kg (1.5kg per m2)	 Flame Resistance BS476 Part 7 Class 1
 Finish Satin & Gloss Finish	 Cutting Fine-toothed saw or Jigsaw
 Scratch Resistance Non Scratch	 Water Resistance 100% Waterproof
 Chemical Resistance Excellent	 Cleaning Mold Resistant / Easy
UV UV Resistance Anti UV Coating	 100% Recyclable By Reco Factory

Applications

- Bathrooms
- Kitchens
- Washrooms
- Hygiene
- Medical
- Protection
- Wet Room
- Bespoke

Gloss



Color



Stone



See website for range

Satin



Pattern




Wood



Texture



Stone



Photo



See website for range

Panel Dimensions



2440 x 1220 x 2mm

Protect


Satin finish protective Panel 1mm



Features and benefits

- Non-Scratch PVC wall panels with satin effect finish
- Impact & graffiti resistant
- Install over any level surface
- Fit in the same time as wallpaper but with x10 protection from wear and tear
- Splash-proof and easy to clean
- 100% water resistant
- Not made from paper so easy to clean
- Virtually maintenance-free!
- More thermally efficient than wallpaper or other panels
- 100% recyclable (reducing landfill)
- 10 year manufacturers guarantee


Performance

 Weight 7kg (2.33kg per m2)	 Flame Resistance Fire rating equivalent to Class 1
 Finish Satin Finish	 Cutting Fine-toothed saw or Jigsaw
 Scratch Resistance Anti-Scratch	 Water Resistance 100% Water resistant
 Chemical Resistance Excellent	 Cleaning Mold Resistant / Easy
 UV Resistance Anti UV Coating	 100% Recyclable By Reco Factory

Applications

- Cloakrooms
- Kitchens
- Washrooms
- Hygiene
- Medical
- Protection
- Wet Room
- Bespoke design

Panel Dimensions / Designs



Acrylic
2440 x 1220 x 1mm



Available in plain colours
Bespoke images / designs



Bevel Metro
White, Grey Grout



Hexagon Grey



New York Heights

Glass EFX












High Gloss Glass-Effect Panel 4mm

Features and benefits

- Non-Scratch extruded or cast Acrylic wall panels with glass effect finish
- Impact & graffiti resistant
- Install over existing tiles or any level surface
- Fit in 1/4 of the days it would take to install tiles
- Much lighter than glass and no need for templating
- 100% waterproof
- No grout means they are easy to clean
- Virtually maintenance-free!
- 20% more thermally efficient than tiling
- 100% recyclable (reducing landfill)
- 10 year manufacturers guarantee


Performance

 Weight 14.4kg (4.8kg per m ²)	 Flame Resistance Fire rating equivalent to Class 3 or Class 1
 Finish Gloss Finish	 Cutting Fine-toothed saw or Jigsaw
 Scratch Resistance Anti-Scratch	 Water Resistance 100% Waterproof
 Chemical Resistance Excellent	 Cleaning Mold Resistant / Easy
UV UV Resistance Anti UV Coating	 100% Recyclable By Reco Factory

Applications

- Bathrooms
- Kitchens
- Washrooms
- Hygiene
- Medical
- Protection
- Wet Room
- Bespoke

Panel Dimensions / Designs




Acrylic
2440 x 1220 x **4mm**



Available in plain colours
Bespoke images / designs

Gloss







High Gloss Panel 2mm

Features and benefits

- Non-Scratch Acrylic or PVC wall panels
- Impact & graffiti resistant
- Install over existing tiles or any level surface
- Fit in 1/4 of the days it would take to install tiles
- Wallpaper type joints with no profiles or joining strips
- 100% waterproof
- No grout means they are easy to clean
- Virtually maintenance-free!
- 20% more thermally efficient than tiling
- 100% recyclable (reducing landfill)
- 10 year manufacturers guarantee


Performance

 Weight 4.46kg (1.97kg per m ²)	 Flame Resistance Acrylic Class 3, PVC Class 1
 Finish Gloss Finish	 Cutting Fine-toothed saw or Jigsaw
 Scratch Resistance Anti-Scratch	 Water Resistance 100% Waterproof
 Chemical Resistance Excellent	 Cleaning Mold Resistant / Easy
UV UV Resistance Anti UV Coating	 100% Recyclable By Reco Factory


Applications

- Bathrooms
- Kitchens
- Washrooms
- Hygiene
- Medical
- Protection
- Wet Room
- Bespoke

Panel Dimensions / Designs



PVC
2440 x 1220 x **2mm**



Acrylic
2440 x 1220 x **2mm**



Available in plain colours



RECO
SURFACES



 Decotone Surfaces

520 South Avenue, Garwood, NJ 07027
908.301.0600 phone
908.301.0601 fax
www.decotonesurfaces.com